



HIGH SUGAR JAMS & JELLIES

REALPECTIN MR - 150

RECIPE

Ingredients	%
REALPECTIN MR-150	0,60
SUGAR «A»	1,40
GLUCOSE SYRUP 60 DE, 82° BX	45,00
FRUIT PUREE (8-10 Bx)	30,00
WATER (90°C)	12,00
SUGAR «B»	23,00
CITRIC ACID (50% sol)	1,20
<hr/>	
TOTAL BEFORE EVAPORATION	113,20
EVAPORATION	- 13,20
TOTAL	100,00
BX	66
pH	3,1

TECHNOLOGY

1. Dry mix REALPECTIN MR – 150 and sugar «A»
2. Add dry mix to water
3. Heat to boil
4. Add glucose syrup
5. Add sugar «B»
6. Heat to boil
7. Add sodium citrate solution
8. Add citric Acid solution
9. Add flavour and colour
10. Check BX and pH
11. Cool down to 85°C
12. Fill

DECLARATION

🔗 **REALPECTIN MR-150:** High ester pectin E440i with medium/ high DE level (64 ÷ 68) standardized with sugar/ dextrose

APPLICATION

🔗 Breakfast Jams and Jellies



Headquarter – Office – Laboratories

Via Galileo Galilei, 5
24060 Torre de Roveri (BG)
Italy

www.realfoods.it

